

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 2022-10-17 Revision date: 2022-10-17 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product Code	: Mixture : Weiman Cook Top Daily Cleaner : 70, 70WMA, 70F, 106, 106F
1.2. Recommended use and restrictions o	n use
Recommended use	: Cleaner
1.3. Supplier	
<b>Manufacturer</b> Weiman Products 755 Tri-State Parkway Gurnee, IL 60031 T 1-800-837-8140	
1.4. Emergency telephone number	
Emergency number	: 1-800-535-5053
SECTION 2: Hazard(s) identification 2.1. Classification of the substance or mix	cture
GHS classification Not classified.	
2.2. GHS Label elements, including precau	utionary statements
GHS labelling No labelling applicable	
2.3. Other hazards which do not result in o	classification
No additional information available	
2.4. Unknown acute toxicity	
Not applicable	
<b>SECTION 3: Composition/information</b>	on ingredients

3.1. Substances

Not applicable

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

3.2. Mixtures		
Name	Chemical name / Synonyms Product identifier	%
2-butoxyethanol	2-butoxyethanolCAS-No.: 111-76-22-Butoxy-1-ethanol / Butoxyethanol / Ethanol, 2-butoxy- / Ethylene glycol monobutyl ether / Ethylene glycol n- butyl ether / Hydroxyethyl butyl ether / Ethylene glycol butyl ether / 2-Butoxyethan-1-ol / Ethylene glycol mono-n-butyl ether / 2-n-Butoxyethanol / Butyl glycol / BUTOXYETHANOL / EGBE / EGMBE / Butoxyethanol, 2- / Butyl Cellosolve / Monobutyl ether of ethyleneglycol	1 – 5

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: If skin irritation occurs: Wash skin with plenty of water. Obtain medical attention if irritation persists.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Get medical advice/attention if you feel unwell. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person.
4.2. Most important symptoms and effe	ects (acute and delayed)
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
4.3. Immediate medical attention and sp	pecial treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishing r	nedia	
6 6	Use extinguishing media appropriate for surrounding fire. Do not use water jet.	
5.2. Specific hazards arising from the chemic	cal	
Fire hazard :	Products of combustion may include, and are not limited to: oxides of carbon.	
5.3. Special protective equipment and precau	utions for fire-fighters	
Protection during firefighting :	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).	

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective equ	uipment and emergency procedures
General measures	: Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.1. For non-emergency personnel No additional information available	
6.1.2. For emergency responders No additional information available	
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containme	nt and cleaning up
For containment	<ul> <li>Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).</li> </ul>
Methods for cleaning up	: Sweep or shovel spills into appropriate container for disposal. Provide ventilation.
6.4. Reference to other sections	

For further information refer to section 8: "Exposure controls/personal protection".

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Avoid breathing vapour or mist. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well- ventilated place.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Weiman Cook Top Daily Cleaner		
No additional information available		
2-butoxyethanol (111-76-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name 2-Butoxyethanol (EGBE)		
ACGIH OEL TWA [ppm]	20 ppm	
Remark (ACGIH)	TLV® Basis: Eye & URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans); BEI	
ACGIH chemical category	Confirmed Animal Carcinogen with Unknown Relevance to Humans	

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

-	
2-butoxyethanol (111-76-2)	
Regulatory reference	ACGIH 2020
USA - ACGIH - Biological Exposure Indices	S
BEI	200 mg/g creatinine Parameter: Butoxyacetic acid with hydrolysis - Medium: urine - Sampling time: end of shift
USA - OSHA - Occupational Exposure Lim	its
Local name	2-Butoxyethanol
OSHA PEL TWA [1]	240 mg/m <sup>3</sup>
OSHA PEL TWA [2]	50 ppm
Limit value category (OSHA)	prevent or reduce skin absorption
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - IDLH - Occupational Exposure Limits	
IDLH [ppm]	700 ppm
USA - NIOSH - Occupational Exposure Limits	
NIOSH REL TWA	24 mg/m <sup>3</sup>
NIOSH REL TWA [ppm]	5 ppm
US-NIOSH chemical category	SK: SYS-DIR(IRR) Apr 2011
8.2. Appropriate engineering controls	
Appropriate engineering controls	: Ensure good ventilation of the work station.
Environmental exposure controls	: Avoid release to the environment.
8.3. Individual protection measures/Pe	ersonal protective equipment
Hand protection:	
Wear suitable gloves	
Eye protection:	
Safety glasses or goggles are recommended	when using product.
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	
In case of insufficient ventilation, wear suitable	le respiratory equipment. Respirator selection must be based on known or anticipated exposure levels,

hazards of the product and the safe working limits of the selected respirator.

### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic p	hysical and chemical properties	
Physical state	: Liquid	
Appearance	: Clear	
Colour	: Colourless	

### Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Odour Odour threshold	: Apple : No data available
pH	: 11.5 – 12.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 93.3 °C (> 200 °F) TCC
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: 1
Solubility	: No data available
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive limits	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

Heat.

10.5. Incompatible materials

None known.

**10.6. Hazardous decomposition products** 

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	l effects	
Acute toxicity (oral)	: Not classified.	
Acute toxicity (dermal)	: Not classified.	
Acute toxicity (inhalation)	: Not classified.	

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Weiman Cook Top Daily Cleaner		
ATE US (oral)	37210.5 mg/kg	
2-butoxyethanol (111-76-2)		
LD50 oral rat	1746 mg/kg bodyweight Animal: rat, Animal sex: male, Guideline: OECD Guideline 401 (Acute Oral Toxicity), 95% CL: 1322 - 2301	
LD50 dermal rabbit	435 mg/kg	
LC50 inhalation rat	2.35 mg/l	
LC50 inhalation rat	486 ppm/4h	
ATE CA (oral)	1414 mg/kg bodyweight	
ATE CA (Dermal)	435 mg/kg bodyweight	
ATE CA (Gases)	486 ppmv/4h	
ATE CA (vapours)	2.35 mg/l/4h	
ATE CA (dust,mist)	2.35 mg/l/4h	
Skin corrosion/irritation	: On basis of test data	
Serious eye damage/irritation	pH: 11.5 – 12.5 : On basis of test data pH: 11.5 – 12.5	
Respiratory or skin sensitisation	: Not classified.	
Germ cell mutagenicity	: Not classified.	
Carcinogenicity	: Not classified.	
2-butoxyethanol (111-76-2)		
IARC group	3 - Not classifiable	
Reproductive toxicity	: Not classified.	
STOT-single exposure	: Not classified.	
STOT-repeated exposure	: Not classified.	
Aspiration hazard	: Not classified.	
Symptoms/effects after inhalation	: May cause irritation to the respiratory tract.	
Symptoms/effects after skin contact	: May cause skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear	
Symptoms/effects after ingestion	production, with possible redness and swelling. : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and	
Other information	diarrhea. : No additional information available.	

## **SECTION 12: Ecological information**

12.1. Toxicity	
Ecology - general :	Not applicable.
12.2. Persistence and degradability	
Weiman Cook Top Daily Cleaner	
Persistence and degradability	Not established.

## Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

12.3. Bioaccumulative potential		
Weiman Cook Top Daily Cleaner		
Bioaccumulative potential	Not established.	
2-butoxyethanol (111-76-2)		
Partition coefficient n-octanol/water	0.81 (at 25 °C)	
12.4. Mobility in soil		
No additional information available		
12.5. Other adverse effects		
Other information	: No other effects known.	

SECTION 13: Disposal consideration	s
13.1. Disposal methods	
Product/Packaging disposal recommendations	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. The generation of waste should be

avoided or minimized wherever possible.

## **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA				
DOT	TDG	IMDG	ΙΑΤΑ	
14.1. UN number				
Not regulated for transport				
14.2. Proper Shipping Name				
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available.				
14.6. Special precautions for user				

Special transport precautions

: Do not handle until all safety precautions have been read and understood.

DOT

No data available

TDG

No data available

### Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

## IMDG

No data available

#### ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

#### **SECTION 15: Regulatory information**

#### **15.1. US Federal regulations**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

#### 15.2. International regulations

No additional information available

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015		
Other information	: None.	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.